



CERTIFICATE

No. U8V 062386 0071 Rev. 00

Holder of Certificate: Beckhoff Automation GmbH & Co. KG

> Hülshorstweg 20 33415 Verl **GERMANY**

Certification Mark:



Control Equipment Product:

(remote input)

This product was voluntarily tested to the relevant safety requirements referenced on this certificate. It can be marked with the certification mark above. The mark must not be altered in any way. This product certification system operated by TÜV SÜD America Inc. most closely resembles system 3 as defined in ISO/IEC 17067. Certification is based on the TÜV SÜD "Testing and Certification Regulations". TÜV SÜD America Inc. is an OSHA recognized NRTL and a Standards Council of Canada accredited Certification body.

Test report no.: 028-713154102-000

Date. 2019-12-01

(Ralph Fischer)

TÜV®

CERTIFICATE

No. U8V 062386 0071 Rev. 00

EP1918-0002 Model(s):

UL 61010-1:2012/R:2018-11 **Tested** UL 61010-2-201:2018

according to: CAN/CSA-C22.2 No. 61010-1:2012/A1:2018-11

CAN/CSA-C22.2 No. 61010-2-201:2018

062386 **Production**

Facility(ies):

Parameters:

Rated voltage: 24 V_{dc} (-15% / +20%)

Rated power dissipation: 3.8 W Protection class:

Output current: max. 2 A (0,25 A x 8 Channel)

Remarks:

- When installing requirements of test standards and installation guide must be fulfilled.
- All supplies and connected circuits shall fulfil requirements of SELV/PELV (double or reinforced insulation to hazardous voltages according to IEC 61010-1).
- Maximum ambient temperature is +60 °C.
- The supply current must be limited to 4 A according to the installation guide.
- This equipment is for indoor use in non-hazardous locations.