

Manual | EN

IPC Security Guideline

for Windows 11




Table of contents

1	Notes on the documentation.....	5
1.1	Report vulnerabilities.....	5
1.2	Contact Beckhoff Incident Response Team.....	6
1.3	Notes on information security.....	6
1.4	Design goals for security.....	7
2	Hazards and risk assessment.....	8
2.1	Attackers.....	8
2.2	Attack types.....	8
2.3	Typical threat scenarios.....	9
3	General measures.....	13
3.1	Employee training.....	13
3.2	Physical measures.....	13
3.3	Secure data destruction.....	13
3.4	Security seal on product packaging.....	14
4	BIOS settings.....	15
5	Operating system.....	16
5.1	Backup and recovery.....	16
5.2	Updates.....	16
5.3	File encryption.....	19
5.4	User and rights management.....	19
5.4.1	Secure passwords.....	19
5.4.2	Automatic logout.....	24
5.4.3	Audit policy.....	25
5.5	Programs.....	31
5.5.1	Whitelisting for programs.....	31
5.5.2	Hiding programs.....	36
5.5.3	Removing components that are no longer needed.....	36
5.5.4	Autostart.....	36
5.5.5	Antivirus programs.....	36
5.6	Write filter.....	37
5.7	Keyboard filter.....	42
5.8	USB filter.....	44
5.9	Virtualization-based security (VBS).....	46
6	Network communication.....	47
6.1	Remote maintenance.....	47
6.2	Firewall.....	47
6.3	Network technologies.....	47
6.3.1	Modbus.....	47
6.3.2	ADS.....	48
6.3.3	OPC UA.....	48
6.3.4	VPN.....	48
6.4	Security Gateway.....	48
6.5	Important TCP/UDP ports.....	48

6.6	IIS web server	50
6.7	HTTPS certificates	52
6.7.1	Disabling automatic certificate creation.....	52
6.7.2	Requesting an HTTPS certificate	53
6.7.3	Importing the certificate	55
7	TwinCAT	59
7.1	eXtended Automation Engineering (XAE)	59
7.2	eXtended Automation Runtime (XAR)	59
7.3	Further technical information	60
8	Appendix	61
8.1	Further reading	61
8.2	Advisories	61
8.3	Support and Service	62

1 Notes on the documentation

This description is intended exclusively for trained specialists in control and automation technology who are familiar with the applicable national standards.

The documentation and the following notes and explanations must be complied with when installing and commissioning the components.

The trained specialists must always use the current valid documentation.

The trained specialists must ensure that the application and use of the products described is in line with all safety requirements, including all relevant laws, regulations, guidelines, and standards.

Disclaimer

The documentation has been compiled with care. The products described are, however, constantly under development.

We reserve the right to revise and change the documentation at any time and without notice.

Claims to modify products that have already been supplied may not be made on the basis of the data, diagrams, and descriptions in this documentation.

Trademarks

Beckhoff®, ATRO®, EtherCAT®, EtherCAT G®, EtherCAT G10®, EtherCAT P®, MX-System®, Safety over EtherCAT®, TC/BSD®, TwinCAT®, TwinCAT/BSD®, TwinSAFE®, XFC®, XPlanar®, and XTS® are registered and licensed trademarks of Beckhoff Automation GmbH.

If third parties make use of the designations or trademarks contained in this publication for their own purposes, this could infringe upon the rights of the owners of the said designations.



EtherCAT® is a registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany.

Copyright

© Beckhoff Automation GmbH & Co. KG, Germany.

The distribution and reproduction of this document, as well as the use and communication of its contents without express authorization, are prohibited.

Offenders will be held liable for the payment of damages. All rights reserved in the event that a patent, utility model, or design are registered.

Third-party trademarks

Trademarks of third parties may be used in this documentation. You can find the trademark notices here: <https://www.beckhoff.com/trademarks>.

1.1 Report vulnerabilities

We kindly request the security analysts to give us sufficient time to develop a solution for closing a security hole before publishing it. The Coordinated Disclosure ensures that customers get an update on the closure of security holes and that they are not unnecessarily endangered during the development of the update. Once customers are protected, the open discussion about the security hole can help the industry as a whole to improve its products and solutions.

If Beckhoff is the supplier of a product that is suspected of being vulnerable, discoverers and coordinators of security holes should contact product-securityincident@beckhoff.com with a vulnerability report, preferably in English or German. Confidentiality is requested. Means of sending encrypted messages are described in Contact Beckhoff Incident Response Team.

Discoverers are requested to provide all necessary contact information in the vulnerability report so that queries are possible. Nevertheless, anonymous vulnerability reports will also be considered. Please provide as much detailed information as possible so that the cases can be reproduced. If the discoverer wishes to publish the discovery, Beckhoff will attempt to coordinate a suitable preliminary release date within 30 days.

The discoverer is informed of the availability of solutions prior to the release date and receives the corresponding Beckhoff Advisory. Beckhoff receives the discoverer's planned publication (including requested CVE where applicable). A final release date is then agreed. On this day, both the discoverer's publication and the Beckhoff Advisory are released. If the discoverer so desires and if he adheres to the above procedure, then a note of thanks, a reference to the discoverer's publication and, if helpful, information about the discoverer's publication will be added to the Advisory.

1.2 Contact Beckhoff Incident Response Team

Address

Beckhoff Automation GmbH & Co. KG
Product Management (Security)
Hülshorstweg 20
33415 Verl
Germany

E-mail

<product-securityincident@beckhoff.com>

E-mails to this address are sent to the responsible members of the Beckhoff Incident Response Team.

Public keys

The Beckhoff Incident Response Team has two keys for establishing contact:

- PGP key with ID B4 F4 15 9A and fingerprint C9 6F 56 5C 39 49 43 58 AE B5 07 93 80 95 E1 2D B4 F4 15 9A
- S/MIME certificate with ID 0a 0e 85 68 56 18 0f 5c 8a 5c 4e 83 and fingerprint 4c b4 d0 99 d4 a0 6c f0 af 69 ee 7a 8f 81 a1 c3 42 eb 17 da

Key download: <https://download.beckhoff.com/download/document/product-security/Keys>

Working hours

The Incident Response Team normally works between 9 a.m. and 5 p.m., excluding public holidays, in North Rhine-Westphalia. Time zone: CET (Europe/Berlin).

1.3 Notes on information security

The products of Beckhoff Automation GmbH & Co. KG (Beckhoff), insofar as they can be accessed online, are equipped with security functions that support the secure operation of plants, systems, machines and networks. Despite the security functions, the creation, implementation and constant updating of a holistic security concept for the operation are necessary to protect the respective plant, system, machine and networks against cyber threats. The products sold by Beckhoff are only part of the overall security concept. The customer is responsible for preventing unauthorized access by third parties to its equipment, systems, machines and networks. The latter should be connected to the corporate network or the Internet only if appropriate protective measures have been set up.

In addition, the recommendations from Beckhoff regarding appropriate protective measures should be observed. Further information regarding information security and industrial security can be found in our <https://www.beckhoff.com/secguide>.

Beckhoff products and solutions undergo continuous further development. This also applies to security functions. In light of this continuous further development, Beckhoff expressly recommends that the products are kept up to date at all times and that updates are installed for the products once they have been made available. Using outdated or unsupported product versions can increase the risk of cyber threats.

To stay informed about information security for Beckhoff products, subscribe to the RSS feed at <https://www.beckhoff.com/secinfo>.

1.4 Design goals for security

Beckhoff Industrial PC (IPC) hardware is designed for general use like a normal PC for office environments, but with considerable additional robustness for use in industrial environments. The complete board is designed for reliable and highly deterministic operation in such environments. Nevertheless, the hardware supports universal operating systems such as Windows® and TwinCAT/BSD®, which is based on FreeBSD®. As a result, the hardware is designed to support conventional and office IT-compliant security mechanisms as provided by the operating systems. The person who integrates the IPC into an operating environment is responsible for configuring these security functions for the respective environment accordingly. This person must also provide the operator with instructions for secure use. Such configuration and usage guidelines should be the result of a holistic security concept for the respective environment or conform to it.

Beckhoff IPCs can be ordered with or without an operating system. Windows 10, Windows 11 and TwinCAT/BSD are available under these operating systems. Unless expressly ordered otherwise, these are provided as "Secure by Default". This means that only certain services are enabled by default so that all access to the device is authenticated and the only preconfigured user has administrative access. For historical reasons, the preconfigured user is "Administrator". Beckhoff offers two pre-installed versions of the operating system images on the IPC: In one variant, a random password is pre-set for "Administrator", which can be read from a label on the device. In the second version, the documented known password is preconfigured for this purpose. Please note the following: The latter is not "Secure by Default" with regard to the requirements of some environments, while it is well suited for others.

The operating systems mentioned are not developed by Beckhoff. The basis of the Windows 10 and Windows 11 images from Beckhoff is developed and maintained by the Microsoft Corporation. The basis of TwinCAT/BSD is developed and maintained by "The FreeBSD® Project". Both have been recognized for decades for their security functions for use in office and server environments. They contain and offer advanced security functions. Certain environments and applications have specific requirements for the configuration and use of these security functions. Since Beckhoff provides the operating systems mentioned for general use and does not wish to restrict which applications are implemented with them, Beckhoff cannot foresee the specific security requirements resulting from the respective use or integration. Instructions for secure configuration and use must therefore be created by the person who integrates the operating system into an environment for a specific use. Nevertheless, Beckhoff provides instructions for the secure use of the IPC and its operating system in this guide. These instructions are to be understood as general information and not as a complete and sufficient reference. The developers of the operating systems provide complete documentation for the security functions of the operating systems.

Beckhoff has developed extensions for these operating systems, in particular to optimize the deterministic behavior of the operating system for use with real-time applications in the automation industry. The extensions are integrated into the operating system images distributed by Beckhoff. The main objective in the development of these extensions is robustness and determinism for increased availability. Nevertheless, Beckhoff ensures that these extensions do not impair the basic security functions of the operating system, unless otherwise specified.

Beckhoff distributes a wide variety of software products. One example is the product "TwinCAT 3.1 - eXtended Automation Runtime (XAR)", or TwinCAT 3.1 XAR for short. This can be ordered pre-installed as part of the operating system on some IPCs. The main purpose of this special software is to provide a deterministic and robust but highly customizable runtime for automation applications. When installed on an IPC, it turns this device into a Programmable Logic Control (PLC). In addition to availability (through robustness and determinism), the software was equipped with perimeter security during its development. This means that it can be configured and used to securely authenticate access via the protocols implemented by TwinCAT 3.1 XAR. With this perimeter security, the IPC's network interfaces mark the boundary. The security risk identified by Beckhoff for this type of security is that an unauthorized user gains access to the IPC via the protocols implemented by TwinCAT 3.1 XAR. For historical reasons and due to backward compatibility, TwinCAT 3.1 XAR still provides protocols that do not perform authentication before such access. Some IPCs with pre-installed TwinCAT 3.1 XAR have a configuration for TwinCAT 3.1 XAR, which is secure by default. This means that this standard configuration only activates secure TwinCAT 3.1 XAR protocols. Please note that many IPCs that are delivered with pre-installed TwinCAT 3.1 XAR do not have a secure configuration by default for reasons of backward compatibility. This security guide contains a complete list of the protocols supported by TwinCAT 3.1 XAR and provides information on which protocols are secure, see: [Important TCP/UDP ports \[► 48\]](#). Separate documentation and instructions are available for the other software products. Please note the following: The latter also applies to TwinCAT functions that can be added to TwinCAT 3.1 XAR via a separate installer.

2 Hazards and risk assessment

This section provides an overview of the hazards and risk assessment for an automation system. Different attackers and types of attacks as well as typical threat scenarios and protection principles are described.

2.1 Attackers

Classification according to the position of an attacker

Attackers can be divided into four classes according to their access to a system:

Class	Description
Insider attackers	Attackers who want to perform certain actions on the automation system. The intention is to carry out damaging actions for which the attackers are not authorized. In addition, such attackers have access to private information, e.g. passwords, which they need to perform authorized actions.
Local attackers	Attackers who have direct access to components of the automation system. This class also includes local attackers who can access some components directly via hardware interfaces or change the network topology in different places.
Attackers in the internal network	Attackers who control devices on the internal network. Such attackers are generally unable to change the network topology and can only use existing services in the network.
Attackers from an external network	Attackers who can only execute actions through interfaces that are connected to the internet, for example. With successful attacks on internal components, these attackers can escalate to attackers in the internal network.

Assumptions

For all attackers it must be assumed that:

- they can receive public information such as documentation from the internet or via service calls;
- they are able to acquire any products available on the public market and to prepare targeted attacks by analyzing such products;
- they have significant computing power at their disposal, for example by renting computing time from a cloud provider.

The occasionally promoted categorization according to the motivation of an attacker is generally not expedient, as it involves a number of assumptions and speculations.

The classification helps when creating security analyses, but it should be noted that a real attacker has by all means various capabilities in several categories.

2.2 Attack types

Attacks can be categorized according to their execution. The effort involved in the attack plays a key role:

Category	Description
Broad, viral attacks	The attacks exploit widespread vulnerabilities and spread to reachable neighbors. Such "untargeted attacks" are aimed at attacking as many affected systems as possible in order to benefit the attacker. The benefits for the attacker arise, for example, from extortion to decrypt data ("ransomware") or using the resources of the attacked party ("botnet"). These attacks often use unpatched vulnerabilities or common organizational flaws such as weak passwords.
Vendor and integrator-specific attacks	The attacks exploit vulnerabilities in certain products that may be less common. These attacks can spread automatically, but they target special products or configurations as vulnerabilities (e.g. from Beckhoff or, if applicable, integrator configurations/extensions). Attack targets can also be industry-specific, such as spying out know-how or the like.

Category	Description
User-specific attacks	Such attacks are directed against precisely one system installation, hence the term targeted attacks. They are difficult to detect and are elaborately carried out by the attacker. Targeted system configurations are used to achieve the aim of the attack. Attack targets are manifold and are generally difficult to predict.



Only measures against broad viral and vendor-specific attacks are presented in these security guidelines. User-specific attacks necessitate analyses and counter-measures on the part of the user.

2.3 Typical threat scenarios

This section describes typical threats. However, the list is not exhaustive.

Manipulated boot medium

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	not covered	not covered	not covered
Vendor and integrator-specific attacks	covered	covered	not covered	not covered

A prepared data storage device is connected to a component and the component is booted from it. This is possible if the boot order in UEFI/BIOS is set to boot from external disks or the attacker is able to change the boot order.

Through the attack an attacker can gain read and write access to all data of the component, especially configurations and know-how. After such an access has occurred, the entire component must be considered insecure.

Defensive measures:

- BIOS password ([BIOS settings \[► 15\]](#))
- Set boot media ([BIOS settings \[► 15\]](#))
- [Locked control cabinet \[► 13\]](#)

Unauthorized PXE boot server

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	not covered	covered	not covered
Vendor and integrator-specific attacks	not covered	not covered	covered	not covered

Boot from an unauthorized PXE boot server in the internal network. The attack involves execution of code controlled by the attacker.

Through the attack an attacker can gain read and write access to all data of the component, especially configurations and know-how. After such an access has occurred, the entire component must be considered insecure.

Defensive measures:

- Disable PXE boot ([BIOS settings \[► 15\]](#))

Manipulated USB devices

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	covered	not covered	not covered
Vendor and integrator-specific attacks	covered	covered	not covered	not covered

If manipulated USB devices are connected, it may be possible for the attacker to execute malicious code on the affected device. In addition, the affected USB device can also be used to steal know-how. For example, any code can be executed by a suitably configured autostart. Unauthorized input can be made or logged by a suitably prepared input device.

Such an attack allows an attacker to gain read and write access to a large number of data relating to the operating system, especially configurations and know-how. After such an access has occurred, the entire component must be considered insecure.

Defensive measures:

- Whitelisting USB devices ([USB filter](#) [► 44])
- [Locked control cabinet](#) [► 13]
- Disable interfaces in BIOS ([BIOS settings](#) [► 15])
- [Whitelisting for programs](#) [► 31]

Guessing of weak passwords through local interface

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	not covered	not covered	not covered
Vendor and integrator-specific attacks	covered	covered	not covered	not covered

Weak passwords such as default passwords or easily guessed passwords can be exploited by local attackers. Like authorized local users, attackers can login with unmodified default passwords.

Such an attack allows an attacker to gain read and write access to a large number of data relating to the operating system, especially configurations and know-how. After such an access has occurred, the entire component must be considered insecure.

Defensive measures:

- [Secure passwords](#) [► 19]
- Set up individual users, no collective accounts
- Minimum rights for users ("Least Privilege"), in particular no administrator rights if not necessary

Theft of data carriers

Attack type/attacker	Insider	Local	Internal network	Remote
Widespread viral attacks	not covered	not covered	not covered	not covered
Vendor and integrator-specific attacks	covered	covered	not covered	not covered

An attacker may gain knowledge of and access information for services in an automation system via unauthorized removal of data carriers.

An attack like this allows an attacker to gain read access to a large amount of data related to the operating system, especially access data, configurations, knowledge and other sensitive private data.

An attacker could also try to gain access to sensitive data by stealing the storage media after it has been disposed of.

Defensive measures:

- [Locked control cabinet](#) [► 13]
- [Secure data destruction](#) [► 13]

Extraction of sensitive data from discarded material

Attack type/attacker	Insider	Local	Internal network	Remote
Widespread viral attacks	not covered	not covered	not covered	not covered

Attack type/attacker	Insider	Local	Internal network	Remote
Vendor and integrator-specific attacks	covered	covered	not covered	not covered

An attacker can gain access to discarded material which contains sensitive data on storage media.

An attack like this allows an attacker to gain read access to a large amount of data related to the operating system, especially access data, configurations, knowledge and other sensitive private data.

Defensive measures:

- [Secure data destruction](#) [► 13]

Handling untrusted emails

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	not covered	covered	covered
Vendor and integrator-specific attacks	not covered	not covered	covered	covered

Untrusted emails are a typical way to spread malware. In particular, attacks exploit opening of hyperlinks with outdated browsers and email attachments. Sometimes emails are formulated in such a way that they appear to be trustworthy.

A successful attack can execute unauthorized actions that are executed with the privileges of the interacting user.

Defensive measures:

- Do not use control computers for handling emails
- Regular or automatic software updates ([Updates](#) [► 16])
- [Whitelisting for programs](#) [► 31]

Exploiting known vulnerabilities in outdated software

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	covered	covered	covered	covered
Vendor and integrator-specific attacks	covered	covered	covered	covered

Manufacturers release software updates to correct known vulnerabilities. If software that is in use is not updated, broadly based viral attacks can be carried out successfully.

A successful attack can execute unauthorized actions that have an impact in the context of the affected software.

Defensive measures:

- Regular or automatic software updates ([Updates](#) [► 16])
- Network-based detection mechanisms (IDS/IPS)
- Disabling unneeded services
- [Removing components that are no longer needed](#) [► 36]

Manipulated websites

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	not covered	not covered	covered
Vendor and integrator-specific attacks	not covered	not covered	not covered	covered

A user is tricked into visiting an untrusted website. A vulnerability in the browser is exploited to execute arbitrary malicious code, or the website is designed in such a way that the user discloses confidential information such as login data.

A successful attack can execute unauthorized actions that are executed with the privileges of the interacting user.

Defensive measures:

- Regular or automatic software updates ([Updates \[► 16\]](#))
- Organizational measures for web surfing behavior.

Man-in-the-middle attacks

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	covered	not covered	not covered	not covered
Vendor and integrator-specific attacks	covered	covered	covered	covered

When using an insecure network protocol, an attacker can pretend to be the trusted remote station within the reachable network. This allows the information sent via this protocol to be manipulated or intercepted.

A successful attack can lead to unexpected behavior of the services in the automation system.

Defensive measures:

- Network segmentation
- Use of secure network protocols

Unauthorized use of network services

Attack type/attacker	Insider	Local	Internal network	Remote
Broad, viral attacks	not covered	not covered	covered	covered
Vendor and integrator-specific attacks	not covered	not covered	covered	covered

If network services are provided that an attacker can access, this could result in unauthorized actions.

A successful attack can lead to unexpected behavior of the services in the automation system.

Defensive measures:

- Network segmentation
- Use of authenticating network services
- Disabling unneeded services
- [Removing components that are no longer needed \[► 36\]](#)

3 General measures

3.1 Employee training

Trained personnel are an important protection for the system. Employees who have access to the device should know how to operate it. This includes general measures such as the responsible handling of passwords and data carriers such as USB sticks. Every employee should be aware of the possible effects of intervening in the system.

3.2 Physical measures

One of the easiest and safest security measures is physical protection. Make sure that only administrators and technicians have access to the device. Attacks via physical access such as USB flash drives and other data carriers, which represent one of the biggest risks, can be reduced in this way. Physical protection of a device is achieved, for example, by means of a lockable control cabinet.

Locked control cabinet

The standard environment for an industrial controller should be a locked control cabinet. The attack surface is greatly reduced by allowing only individual interfaces to leave the control cabinet. The interfaces led out there should be additionally protected (lockable). Access to the control cabinet should only be given to persons who need it in order to perform their tasks. Electronic locking systems can also be used, for example based on smart cards. As with all key management systems, access to the control cabinet should be revoked when it is no longer required.

Video surveillance

Video surveillance is suitable for shift working in environments where many people need access to a controller or where facilities are geographically dispersed. However, video surveillance can only detect attacks and not prevent them. This measure is therefore only useful in combination with other measures.

3.3 Secure data destruction

In the case of scrapped or decommissioned components, it is important to reliably destroy the data. Multiple overwriting of the data carrier is a suitable and reliable method.

Data on intact hard disks can be completely and unrecoverably erased by overwriting using special software. The data are overwritten once or several times with specified characters or random numbers, which is sufficient in most cases.

Windows now overwrites a partition completely with zeros during "slow" formatting. In the case of old hard disks (< 80 GB), the data should be overwritten 7 times. Modern hard disks allow the use of the command ATA-"Enhanced Security Erase". Here, a vendor-specific routine is initiated in the hard disk that should erase the entire hard disk, including defective memory areas. This method of erasure is recommended with SSD or SSHD. The command should be combined with the overwriting procedure mentioned above. The data carriers can still be used after overwriting.

Both freeware and commercial products are available on the market that perform the overwriting methods mentioned. Most of these tools offer different overwriting methods. We recommend the use of programs to overwrite the hard disk that can be started from a bootable medium (e.g. CD, USB flash drive) and overwrite the entire hard disk.

Physical destruction


If you don't wish to overwrite a hard disk or cannot do so due to a defect, you should physically damage or destroy the hard disk.

3.4 Security seal on product packaging

From the end of 2021, seals with security features will be affixed in the factory to certain product packaging for Industrial PCs and Embedded PCs:



The position and nature of the seal are such that the removal of the goods from the packaging leads to irreversible and visible changes to the packaging and the seal. The intactness of the product can therefore be checked before opening by means of a visual inspection.



The seal is an aid to an efficient procedure for checking packed products. Because absolute security is impossible, the use of the seal is limited to the following applications: It allows a justified assumption to be made of the intactness, completeness and authenticity of the goods in the packaging without having to open the packaging. If the seal or the packaging is damaged, the recipient should ascertain the correct condition of the goods when accepting or using them. If the goods are intended for applications in which aspects of IT security are relevant, the recipient of the goods can, for example, stipulate that the goods are to be checked for tampering before use if the condition of the seal or packaging gives cause to suspect tampering during dispatch.

The design and stipulation of meaningful processes and rules for the acceptance and use of products from Beckhoff remain the responsibility of the recipient.



Opened seal

Products from Beckhoff often reach the recipient via a multi-step distribution chain. The seal may have been opened during the processing of the product. An opened seal is not grounds for a warranty claim.

4 BIOS settings

It is recommended that you set a password for the BIOS to ensure that critical settings such as boot order, CPU clock or important settings cannot be changed without authorization. It may also be useful to set the boot order and prevent external disks from booting. Settings in the BIOS should only be made by well-versed persons. The changing of unknown parameters can have a negative effect on the function of the system.

5 Operating system

5.1 Backup and recovery

A backup and recovery strategy should be drawn up for each device and protects against:

- security incidents,
- data loss due to defective storage media,
- or from corrupt data due to improper shutdown.

The last backup created can be restored in the shortest possible time, thus preventing major production downtime. Apart from creating backups, it is also important to define a restore process.

Backup and recovery are not exclusively security matters, but help to minimize downtime in case of security incidents.

A process both for creating a safety copy as well as a process to restore it should be defined. Security aspects should also be taken into consideration when doing so.

If a completely automated backup solution is used, the backup system itself is mostly accessible in the network and thus also vulnerable; manual ("offline") backups are better here. Offsite backups, i.e. backups that are stored locally separated, have the advantage that they can be restored even in the case of a local incident where the machine itself is not affected.

A wide variety of implementations are thus available and conceivable.

Since the TwinCAT boot projects and all necessary information are stored as files on the file system of the respective operating system, file-based security is sufficient in this case.

Beckhoff provides a backup and recovery solution in the form of the "Beckhoff Service Tool (BST)". For more information on the BST, see: [Infosys entry on BST](#).

If your Industrial PC is shipped with BitLocker encryption enabled for the system partition, then the key to decrypt the partition during an unattended boot is protected by the Trusted Platform Module (TPM) on the mainboard of the device. The TPM module provides the Windows kernel with the key for decryption only if the measurement of the early startup process shows that previously trusted software with a known configuration has been started and that neither the software nor the configuration nor the next software to be started (i.e. the kernel) has been manipulated.

A full backup must include the boot partition and the system partition. If you back up the entire boot disk as a raw device, your backup contains the encrypted system partition. In addition to the backup, you must also export a recovery key. A recovery key is especially needed to restore and use the backup on another hardware. Please keep this recovery key in a safe and secure place. It is also strongly recommended to always have a recovery key on hand in case legitimate changes have been made to the software and configuration that are part of the early startup process. This can be the case, for example, if the boot sequence of the firmware (BIOS) is changed by authorized persons.

If BitLocker encryption is enabled, there is an alternative to a full backup of the partitions including the encrypted system partition: you can temporarily disable the encryption of the system partition and create an offline backup as usual. Please do not forget to re-enable the encryption afterwards.

5.2 Updates

There are various ways to keep your operating system and programs up-to-date:


- Updating the entire image
- Updating individual programs
- Integrated operating system updates

NOTICE**Avoiding data loss**

Back up your data before carrying out an update. First of all, create a backup image of the PC with the help of a BST (Beckhoff Service Tool, https://www.beckhoff.de/default.asp?industrial_pc/bst.htm).

The Windows 7/10/11 operating system has its own update mechanism, the Windows Update Service. To prevent changes being made inadvertently to the system, the Windows Update Service is disabled in the images provided by Beckhoff. Windows updates can still be downloaded from Microsoft and installed manually. If the Windows Update Service is enabled, the updates are procured from the Microsoft Windows Update Server with the standard settings. Communication with the server takes place via an encrypted and signed connection. The updates procured are signed with an official certificate from Microsoft so that their authenticity can be checked.

Engineering computers should be kept up-to-date with updates. This can be more difficult for computers in industrial environments. For example, if a write filter is used, updates installed without further measures are discarded upon reboot. To avoid this, the following procedure is recommended:



After this procedure, intensive tests by the operator are required to ensure that the system is functioning properly. Beckhoff devices are delivered with half-yearly updated and tested images that contain compatible Windows updates.

These images can be requested through Beckhoff Service for Windows 7/10/11. The serial number of the device is required for this.

See also:

- https://www.beckhoff.de/default.asp?industrial_pc/bst.htm

5.3 File encryption

NOTICE

Malfunctions

Do not encrypt the entire system partition, Windows system files or the TwinCAT folder. This can lead to malfunctions.

As a rule, an established access control is sufficient to protect sensitive files and directories against unauthorized access. If the data carrier gets lost, however, the protection of these data is no longer guaranteed and necessitates additional protection by the encryption of individual files and directories.

With EFS (Encrypted File System), Windows provides an encryption function with which individual files or entire directories can be encrypted. An additional security level and cryptographic protection is thus made available.

An important post-encryption aspect is the administration of keys and the clarification of the following questions:

- Who should be given access?
- What authentication options are there? (USB token, PIN, password, user name + password, etc.)
- How are the keys managed?

In any case the data are unprotected when they are decrypted and used.

By comparison, BitLocker supports the encryption of complete data carriers. In addition, BitLocker offers maximum protection when it is used with TPM (Trusted Platform Module), as described in the [TPM documentation](#).

5.4 User and rights management

5.4.1 Secure passwords

Secure passwords are an important prerequisite for ensuring the security of a system. Beckhoff delivers the images with standard user names and standard passwords for the operating system. These must be changed by the customer. Otherwise, your device is vulnerable to attack via the network and access by unauthorized personnel.

Controllers are delivered without password in the UEFI/BIOS. Here, too, it is recommended to assign a password.

A Security Wizard is integrated in the system. This is started directly after booting up the device during local access. This wizard requests the user to change the password. However, the password can also be changed locally using operating system tools.

The following applies:

- Passwords should be unique for each user and service.
- Password complexity: the password should contain capital and lower-case letters, numbers, punctuation marks and special characters.
- Password length: the password should be at least 10 characters long.

- Contrary to some previous recommendations, it is recommended that passwords are no longer changed regularly, but only after an incident in which passwords have become known to unauthorized persons. See also <https://arstechnica.com/information-technology/2016/08/frequent-password-changes-are-the-enemy-of-security-ftc-technologist-says/>
- It may be useful to schedule a mandatory waiting time after unsuccessful logon attempt.

Generate secure password

There are many ways to create a secure password. The following table describes a method of generating passwords. The procedure can also help to remember complex passwords:

Procedure	Example
1. Start with one or two sentences.	Complex passwords are more secure
2. Remove the spaces.	Complexpasswordsaremoresecure
3. Abbreviate words or add spelling mistakes.	Complxpasswordsarmorescure
4. Insert numbers and special characters to extend the password.	Complxpasswordsarmorescure#529954#


Problematic passwords

Cyber criminals use sophisticated tools that enable high-performance attacks on passwords. Therefore, it is advisable to avoid:

- Words contained in dictionaries
- Words written backwards, common spelling mistakes, and abbreviations
- Repetitive sequences, e.g. 12345678 or abcdefgh
- Personal information, e.g. birthdays, ID numbers, telephone numbers


5.4.1.1 Change password

1. Open Windows Run with the shortcut **[Windows + R]** and enter "ms-settings:accounts" in the highlighted field. Then confirm the dialog with **OK**.




⇒ The **Settings** window opens.


2. Click on the **Sign-in options** field.
3. Click on **Change** in the **Password** area.




4. Enter your current password and click **Next**.



5. Enter your new password and click **Next**.




⇒ The password has now been reset.




5.4.1.2 Password policies

Password policies make it possible to restrict the choice of passwords for user accounts, forcing users to choose secure passwords. A separate password policy protects the system against the use of weak passwords. Set the length and complexity of the user passwords used.


1. Open the **Control Panel** and select **Administrative Tools > Local Security Policy**.
2. Select **Account Policies > Password Policy** in the window that opens
3. Specify the password policy settings.
4. To set a maximum password age, a time period (in days) can be defined for the policy **Maximum password age** before the system prompts the user to change the password.



5. In order to demand a password complexity, the policy **Password must meet complexity requirements** can be set. On enabling this policy, any passwords set in future must contain at least upper case letters, lower case letters, numbers and special characters.



6. To prevent attacks to guess user authentication data, the settings can be set at **Account Lockout Policy**. Set the number of failed login attempts after which a user account should be locked out. You can use the **Account lockout duration** policy to set the duration in minutes that a locked account remains locked before it is automatically unlocked.



⇒ Definition of the password policies

5.4.1.3 IPC Security Wizard

User passwords can be set via the IPC diagnostics webpage. It can be reached by https on Port 443.

In the delivery state, the IPC Security Wizard is started when a user connects by https or works locally on the device.


The IPC Security Wizard prompts the user to change the default password.

See also:

- Documentation on [IPC diagnostics](#) in the info system

5.4.2 Automatic logout

So that a system cannot be misused when it has not been used for a while by an already logged-on user, an automatic user logout can be set. To do this, a time can be defined in the Screen Saver setting. On expiry of the time, an unused system is locked and the user is required to authenticate himself again.



5.4.3 Audit policy

As part of a security concept for the integration of a device into a network, it should be specified which level of security audit is suitable for detecting potential attacks. Security audit means that an industrial PC creates audit logs of events as soon as an interaction with the device takes place. For example, file and folder accesses can be logged each time a user accesses the selected files or folders.

These logs are intended for review to detect deviations from normal use that could indicate an attack, or for forensic purposes to reconstruct details about an attack. The check can be carried out immediately or at regular intervals by automated mechanisms or manually. It depends on the environment and the application as to which deviations are relevant. Therefore, rules that describe which actions are logged are usually configured using audit policies.

However, configuring too many rules can lead to a kind of blindness. The logs can become overloaded with irrelevant entries, with the relevant entries easily overlooked by humans or not processed quickly enough by automatic monitoring mechanisms. Sometimes it is good practice to forward logs to a central location for automatic review and/or archiving, among other things to avoid exhausting limited log capacity.

Microsoft has published a [guide](#) to security audits for Windows with the relevant settings and best practices. The basic audit policies include the following categories, which can be enabled and are disabled by default:

- [Audit account logon events](#) [► 26]
- [Audit directory service access](#) [► 27]
- Audit logon events
- Audit object access
- Audit policy change
- Audit privilege use


- Audit process tracking
- Audit system events

5.4.3.1 Audit account logon events

Audit logon events in the Beckhoff Device Manager and enable the appropriate policy if you want to determine who has logged on to the web interface from which IP address, for example.


Proceed as follows:

1. Call up the Run dialog via the shortcut **[Windows key] + [R]** and enter **secpol.msc**. The **Local Security Policy** window appears.



2. Click on **Local Policies > Audit Policy** in the structure tree on the left and select the policy **Audit account logon events**.

3. Select the **Failure** check box if you only want to log unsuccessful attempts. Also select the **Success** check box if you also want to log successful attempts.



- ⇒ The logged entries can now be viewed in the **Event Viewer**, which you can call up with **[Windows key] + [R]** and the entry **eventvwr**. The entries can then be viewed under **Windows Logs > Security**.

5.4.3.2 Audit directory service access




The size of the Windows log grows with each log entry. Note the available hard disk space.

File and folder access operations can be logged in Windows. Each time a user accesses the selected files or folders, a so-called audit event is recorded in the Windows log.


Create audit policy for file and folder access:

1. Call up the Run dialog via the shortcut **[Windows key] + [R]** and enter **secpol.msc**.
The **Local Security Policy** window appears.




2. Click on **Local Policies > Audit Policy** in the structure tree on the left and select the policy **Audit object access**.

3. Select the **Failure** check box if you only want to log unsuccessful accesses. Also select the **Success** check box if you also want to log successful accesses.




4. Right-click on the relevant file or folder and then on **Properties**.


5. Select the **Security** tab and then click on **Advanced**.



6. Select the **Auditing** tab, click on **Add** to create a new entry for auditing.



7. To set up auditing for a user or group, enter the name of the desired user or group and then select **OK**.



8. The logged entries can now be viewed in the **Event Viewer**, which you can call up with **[Windows key] + [R]** and the entry **eventvwr**. The entries can then be viewed under **Windows Logs > Security**.

5.5 Programs

5.5.1 Whitelisting for programs

Application Whitelisting prevents the execution of all programs that have not been approved for the system. Via a Whitelist, the administrator creates a list of approved applications that the system is allowed to execute. Unlike with antivirus software, no continuous updates are necessary in order to close current security holes. The list only needs to be expanded when new applications are added. In industrial practice, this list is often easier to maintain than antivirus software. The built-in Windows feature is called AppLocker.

Whitelisting measures allow you to specify explicitly which programs can be executed on the system. These measures provide protection against untrusted code.

Windows offers two different methods for whitelisting:

- Software Restriction Policies (SRP)
- AppLocker

The Software Restriction Policies offer scope for explicitly specifying which programs can be executed on the system. All other programs can then no longer be executed. These policies are available through the Local Security Policy.

AppLocker is available from Windows 7 and has an extended range of functions. Differences between AppLocker and SRP are documented [here](#).

5.5.1.1 Software Restriction Policies (SRP)

A security level can be set as default. Exceptions can be defined for the default levels.

Security level	Description
Not permitted	Programs cannot be executed.
Default user	Programs can be run with the permissions of a default user.
Not restricted	Each user can run programs without restriction.

The following exception rules can be defined for certain programs. They are referred to as additional rules:

Type	Description
Hash Rule	For unmodified program files in a certain version, the file name is ignored. Notice For updates, these hash rules must be updated.
Certificate Rule	For correctly signed program files whose publisher certificate is set.
Path Rule	For program files in certain paths. The paths can also contain placeholders and environment variables (such as %PROGRAMFILES%).
Internet zone Rule	Programs located in the network zones defined by Internet Explorer.

The following steps help you to set up a kiosk mode for Windows, in which several applications can be run:

<https://learn.microsoft.com/en-us/windows/security/application-security/application-control/app-control-for-business/applocker/applocker-overview>

A general deployment guide from Microsoft can be found here:

<https://docs.microsoft.com/de-de/windows/security/threat-protection/windows-defender-application-control/applocker/applocker-policies-deployment-guide>


See also:

- AppLocker [► 32]

5.5.1.2 AppLocker

The AppLocker offers the possibility to restrict the running of programs.

1. Open the security policies by running **secpol.msc**. Select **Application control policies** and below that **AppLocker**. Various data types can be covered by the rules:



2. You can select **Create new rule** by right clicking one of the rules.

3. Select **Allow** or **Refuse** and a **User** or a **Group**, to whom the rule should apply:

Create Executable Rules

Permissions

Before You Begin

Permissions

Conditions

Publisher

Exceptions

Name

Select the action to use and the user or group that this rule should apply to. An allow action permits affected files to run, while a deny action prevents affected files from running.

Action:

☒ Allow

☐ Deny

User or group:

Everyone

Select...

More about rule permissions


< Previous

Next >

Create

Cancel

4. Select the type of primary condition for your new rule:



The screenshot shows the 'Create Executable Rules' dialog box with the 'Conditions' tab selected. The left sidebar contains a tree view with 'Before You Begin', 'Permissions', 'Conditions' (selected), 'Publisher', 'Exceptions', and 'Name'. The main area displays the instruction 'Select the type of primary condition that you would like to create.' followed by three radio button options: 'Publisher' (selected), 'Path', and 'File hash'. Each option has a descriptive text block. At the bottom right, there are four buttons: '< Previous', 'Next >' (highlighted with a blue border), 'Create', and 'Cancel'. A link 'More about rule conditions' is located at the bottom left of the main area.

Create Executable Rules

Conditions

Before You Begin
Permissions
Conditions
Publisher
Exceptions
Name

Select the type of primary condition that you would like to create.

☒ **Publisher**
Select this option if the application you want to create the rule for is signed by the software publisher.


☐ **Path**
Create a rule for a specific file or folder path. If you select a folder, all files in the folder will be affected by the rule.

☐ **File hash**
Select this option if you want to create a rule for an application that is not signed.

[More about rule conditions](#)

< Previous **Next >** Create Cancel

5. You can specify the rule more precisely by specifying **Publisher**, **Path** or **File hash**. In addition, Publishers, Paths and File hashes can each be excluded from the rule:



⇒ The configuration is now complete.

Notes:

- AppLocker works by default as an "Allow list".
 - AppLocker initially checks whether there are any rules that refuse the actions.
 - Rules that refuse an action are given a higher priority than rules that allow an action.
- All Windows system files should be allowed.
- So-called "standard rules" (rules for Windows system files) can be created.
- You can lock yourself out of your own system via the AppLocker.

Additional notes:

- Rules can be imported / exported from one machine to another.
- The rules are saved in HKLM\Software\Policies\Microsoft\Windows\SrpV2.
- The application identity service (Appidsvc) must be started for the file identification.

Further information can be found in the Microsoft documentation:

- <https://docs.microsoft.com/de-de/windows/security/threat-protection/windows-defender-application-control/applocker/using-software-restriction-policies-and-applocker-policies>

5.5.2 Hiding programs

To prevent the use of features that should only be accessible to a limited group of users, they can be blocked or hidden through operating system functions.

Programs and their execution can also be restricted by whitelisting measures.

See also:

Whitelisting for programs [► 31]

Under Windows, the following functions can be hidden via changes in the registry:

Further setting options are summarized here.

5.5.3 Removing components that are no longer needed

To reduce the size of the attack surface, unneeded programs and operating system components should be removed.

The removal of system components should only be done by well-versed persons. Negative side effects may occur and programs can no longer be run correctly.

5.5.4 Autostart

A controller can easily be infected via the mechanisms when external devices are connected (e.g. USB storage media or keyboards). This applies in particular if the operating system executes automatic actions as soon as a USB medium is plugged in.

If these mechanisms are not needed, they should be deactivated. A distinction is made here between AutoPlay (playback of media with already installed software) and AutoRun (starting of programs).

5.5.5 Antivirus programs

Antivirus software protects the system against malware that infiltrates the system via data carriers or the network. It represents a blacklist of known malware. Antivirus software must always be kept up to date so that malware can be recognized. There are disadvantages to this.

Antivirus programs recognize already known malware ("blacklist") and attempt to prevent the execution of the malware code.

However, through the necessary updates of this blacklist ("malware pattern") the antivirus programs also increase the danger to a system.

If the same program is always run on a machine, the previously described whitelist method should be used. In every case, you must weigh up whether a blacklist method as in the case of antivirus programs is advantageous on the whole. Overall, the higher configuration effort of the whitelisting method must be compared to the constant updates of the antivirus programs.

Windows Defender has proven in the past to be reliable and compatible with TwinCAT. However, it must always be updated to the latest version in order to close current security holes.

In particular in connection with TwinCAT, the use of antivirus programs is to be precisely evaluated, as they set themselves up deep in the operating system and can thus impair the real-time integration of TwinCAT.

TwinCAT has its own description for compatibility with antivirus programs:

Compatibility of antivirus programs

Further information can be found in the Microsoft documentation: <https://support.microsoft.com/en-us/windows/stay-protected-with-the-windows-security-app-2ae0363d-0ada-c064-8b56-6a39afb6a963>

5.6 Write filter

Windows write filters are tools specially developed by Microsoft Windows to protect a partition against write accesses. The write accesses are redirected to the RAM and the partition is secured in a preconfigured state as a result. Following a restart, the system is automatically reset to the originally defined state.

A write protection filter can be configured, depending on the use case. In this way the system is protected from undesirable write access. Exclusions define the folders that still allow write accesses.

Significance for IT security

From an operator point of view, it makes sense if the changes made by malware are reversed after a restart and operation can be resumed. As a result of this, however, less information can be collected about the infection or attack, which may occur again.

Also, turning the write filter on and off is not secured. If the user in whose context the attack takes place can change the write filter settings, an attacker can do this, too.

NOTICE

Overfilled RAM overlay and disk overlay

The UWF is not suitable for continuous operation (24/7) without continuous monitoring and default settings. The RAM overlay, or disk overlay respectively, will grow continually up to the maximum preset size due to write accesses (even in excluded areas), until the write accesses fail. The operating system can then no longer be operated.

The UWF (Unified Write Filter) is a write filter that is installed from Windows 10 onwards. The user can control the UWF with the "Beckhoff Unified Write Filter Manager" via a graphical user interface. This software provides a simple configuration option. The full range of functions is available in the Windows command line and is described in detail in the Microsoft documentation:

<https://docs.microsoft.com/de-de/windows-hardware/customize/enterprise/unified-write-filter>

UWF Manager overview

The UWF mode, status and the size of the overlay can be set on the **General** tab. The write filter is enabled or disabled here.




Fig. 1: UWF manager in RAM mode, partition C: not protected.

Table 1: Legend of the UWF Manager.

No.	Description
1	The individual partitions can be protected via this button.
2	The current UWF mode, status and the size of the overlay are displayed here.
3	File and registry exclusions can be defined on these tabs.
4	The future status of the UWF is displayed here in case of changes. Switch between the RAM and disk mode using the Change button.
5	The size of the overlay can be set via this box.




Fig. 2: UWF manager in disk mode, partition C: protected from next restart.

Table 2: Legend to the colors of the UWF Manager.

No.	Description
1	Red = switched off, not protected
2	Green = switched on, protected
3	Yellow = switched on and protected after the next restart.

File Exclusions

On the File Exclusions tab, exceptions can be defined and write accesses to individual files or folders can be permitted.




Fig. 3: File Exclusions of the UWF Manager.

Table 3: Legend to the UWF Manager (File Exclusions).

No.	Description
1	New folders can be added to the exclusions via this box.
2	Existing exclusions can be switched on or off via this button.

Registry Exclusions

Exceptions can be defined and write accesses to individual registry keys permitted on the Registry Exclusions tab.




Fig. 4: Registry Exclusions of the UWF Manager.

Table 4: Legend to the UWF Manager (Registry Exclusions).

No.	Description
1	New registry keys can be added to the exclusions via this box.
2	Existing exclusions can be switched on or off via this button.

In the case of an active UWF, all write accesses to the main memory (RAM overlay) or the disk overlay respectively will be diverted and the partition will only be accessed for reading. Following a restart, Windows will start in the originally defined state again.




Fig. 5: Windows Write Filter, mode of operation of an application software in RAM mode.

In addition, exceptions can be defined with the UWF and, as a result, write accesses to individual files, folders or registry keys permitted. Note that the exceptions will only be written to the partition following a restart and will be buffered in the RAM overlay or disk overlay until then.

If large or a lot of data is written to the overlay by the system, this data should be defined as an exception in the UWF. The overlay memory and the files it contains can be analyzed using the Beckhoff UWF Manager to identify memory hogs. To do this, you must set the "Enable Overlay tracing" checkbox in the settings of the Beckhoff UWF Manager.




Fig. 6: UWF Manager settings





Fig. 7: UWF Manager "Enable Overlay tracing" checkbox

After a Windows restart with **enabled UWF** an additional tab appears in the Beckhoff UWF Manager, which lists the files and the associated file sizes in the overlay.



Volume	File	Size
C:	\\$BitMap::\$DATA	274432
C:	\\$Extend\\$RmMetadata\\$Repair\$Corrupt::\$DATA	8192
C:	\\$Extend\\$RmMetadata\\$TxflLog\\$TxflLog.blf::\$DATA	65536
C:	\\$Extend\\$RmMetadata\\$TxflLog\\$TxflLogContainer00000000000000000001::\$DATA	12288
C:	\\$Extend\\$UsnJrnl:\$J::\$DATA	331776
C:	\\$LogFile::\$DATA	7036928
C:	\\$Mft::\$BITMAP	12288
C:	\\$Mft::\$DATA	1638400
C:	\\$Secure::\$SDH:\$INDEX_ALLOCATION	8192

Fig. 8: UWF Manager Overlay consumption

The UWF is not suitable for continuous operation with default settings

The UWF is not suitable for continuous operation (24/7) with default settings. The RAM overlay, or disk overlay respectively, will grow continually up to the maximum preset size due to write accesses (even in excluded areas), until the write accesses fail. The overlay is only enabled again following a restart.

Irrespective of how large the RAM overlay or disk overlay is set, it may eventually fill up without a restart. The RAM overlay is particularly endangered, as it can account for a maximum of 50 % of the total main memory. Further write attempts will fail if the RAM or disk overlay is full. In this state, your device may no longer react and may become sluggish. The disk overlay may be a solution, as a correspondingly large overlay can be generated with sufficient free memory.

See Microsoft documentation:

<https://docs.microsoft.com/en-us/windows-hardware/customize/enterprise/uwfoverlay>

Warnings with high utilization rate

The overlay load cannot be precisely predicted. The new UWF Manager optimizes the operating system for the use of the UWF, but it cannot ensure trouble-free 24/7 operation without exception. Messages are displayed for the user at a 50 % and 70 % utilization rate of the overlay. Be sure to heed these warnings.

Backup & recovery with the UWF

Before a backup of a system is created, the UWF must be switched off in it. Otherwise, the UWF will be configured incorrectly in the restored system. After a backup has been restored, the UWF can be enabled again for the newly created volume.

General recommendation

1. Do not use the UWF with RAM overlay in continuous operation (24/7 operation).
2. The behavior of the UWF should be analyzed precisely before switching it on continuously in a system.

Recommendation for various application scenarios

- Little data, sufficient RAM, little free space on the disk → RAM mode
- Sufficient free space on the disk, possibly larger data quantities → disk mode
- Large data quantities → create second volume for data, protect only C: with UWF

5.7 Keyboard filter


The keyboard filter is a possibility to protect the system from undesirable access. For example, a shortcut that leads to the closing of an application can be blocked. Only keyboard inputs required for the operation of the application are enabled. In addition, shortcuts can be specified that disable the keyboard filter. The option that disables the filter for the administrator is also helpful.

Keyboard filters offer a further option to limit a user in his dealing with the operating system and thus to minimize attack possibilities.


Typically, a "kiosk mode" is configured in which, for example, a successfully logged-in user can only start an HMI application. The user has no further possibility to start other programs or to send commands to the IPC, such as shutdown, for example.

Windows 11 provides a service for this purpose. Here, we describe how this is activated and how it can be configured.


First turn on the built-in Windows 11 feature to use the service. To do this, open the dialog **Turn Windows features on or off** and select the feature **Keyboard Filter** under the menu item **Device Lockdown**. Then restart the PC.




1. Start the **Microsoft Keyboard Filter** service.




2. Set the startup type to **automatic**:



3. Open the **Registry Editor**



4. Navigate to **KeyboardFilter: HKEY_LOCAL_MACHINE>SOFTWARE>Microsoft>Windows Embedded**



5. Both values and commonly used shortcuts are listed in the tables below.

⇒ The keyboard filter is now activated.

The following values stand for the individual shortcuts:

Value	Description
"Allowed"	Allow shortcut
"Blocked"	Block shortcut
DisableKeyboardFilterForAdministrator to "1"	Keyboard filter is disabled for administrators
BreakoutKeyScanCode to „01“	Scancode for ESC as Breakout

The following shortcuts are usually blocked:

Value	Description
CTRL-SHIFT-ESC	Open task manager

Value	Description
CTRL-ALT-DEL	Open menu with the following options: Lock system Open task manager Change password Shutdown system Switch user

Further information can be found in the Microsoft documentation: <https://docs.microsoft.com/en-us/windows-hardware/customize/enterprise/keyboardfilter>

5.8 USB filter

In a similar way to whitelisting for applications, USB devices can also be listed as trusted. USB devices that are not in the approved list will not be accepted by the operating system. Hence, for the maintenance of the devices, uniform USB service flash drives can be defined that contain only approved applications and are checked regularly. Non application-specific (e.g. private) USB flash drives therefore cannot cause any harm. The USB filter serves all devices that are connected via USB. These also include, for example, HID devices such as mouse/keyboard, and all mass storage devices such as USB flash drives, hard disks and card readers.

However, the USB filters in an operating system refer to a vendor and product ID (Vendor ID [VID] / Product ID [PID]) in the USB, which have no cryptographic security and can be forged.

In order to block external interfaces such as USB, they can be physically secured, e.g. by a control cabinet. But even if the device is installed in a control cabinet, there are situations where a USB port has been or must be used. In order to reduce the available attack surface, the use of the interface should be adapted and limited in the operating system.

However, the IDs used with the USB filters are not cryptographically secured, meaning that malicious attacks with prepared USB devices can circumvent the USB filters.

There are several ways to restrict USB devices at the operating system level.


- If the device has not yet been installed, installation can be prevented by denying the current user and the SYSTEM user access to the following files:
 - %SystemRoot%\Inf\Usbstor.pnf
 - %SystemRoot%\Inf\Usbstor.inf
 - %SystemRoot%\System32\DriverStore\Usbstor.inf*
- In order to prevent the general use of USB mass storage devices, the entry "ImagePath" can be set to an invalid path in the registry under
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\services\USBSTOR.
- How to restrict the use of USB devices more granularly via policy settings (Group Policy) is described [here](#).
- USB interfaces can also be switched off in the BIOS. Note that input devices such as the keyboard and mouse no longer work via interfaces that are switched off in this way.




Note that values set via the registry are NOT automatically synchronized with the values set in the group policy. It is recommended to make the settings exclusively via the group policy.

Since Windows 10, options for handling USB devices can be configured.

1. Open the group policy editor by entering **gpedit.msc** in the Run window. Depending on the application, select **Prevent/Allow Installation of devices that match any of those device IDs**



2. Activate the group policy and enter the devices that are allowed or should be blocked:



⇒ The USB filter is now configured.

For more information, see the Microsoft documentation: <http://msdn.microsoft.com/en-us/library/bb530324.aspx>

5.9 Virtualization-based security (VBS)

The virtualization-based security (VBS) functions are disabled by default in the Windows images from Beckhoff, as they are not compatible with TwinCAT XAR. Typically, industrial PCs have fixed communication partners with which they communicate via predefined protocols. The applications run according to predefined rules and are tailored to the specific application. Therefore, industrial PCs can usually be adequately hardened using the other measures described in this guide.

This restriction does not apply to the use of TwinCAT XAE. VBS can be enabled on PCs with TwinCAT XAE. In this case, you should use the TwinCAT 3 Usermode Runtime for testing purposes.

6 Network communication

At this point an overview will be provided of some relevant measures with regard to communication. Topics outside of the actual IPC – such as network segmenting – are not dealt with.

A list of the ports used for TwinCAT products can be found here: [Important TCP/UDP ports \[► 48\]](#) .

6.1 Remote maintenance

Remote maintenance plays an important role in industrial facilities. It enables service technicians and programmers to carry out maintenance work remotely in the event of a malfunction.

Since remote maintenance access routes are generally always available for maintenance purposes and security measures are often neglected in order to be able to react quickly in the event of a malfunction, such access routes are often used for attacks.

Measures at this point are absolutely necessary to prevent attacks that could disrupt system operation.

See also:

- [VPN \[► 48\]](#)

6.2 Firewall

Firewall settings are a means of protecting the system from network attacks. Incoming ports that are not needed should be blocked. Even better than that, however, is not to start any services that open these ports. The necessary settings require an overview of the ports used that is coordinated with everyone involved.

A firewall can be used to filter the network packets that are passing through. Depending on the firewall technology, filter rules can be formulated on the basis of address, port, state of communication relationship, content of the packet and much more. Firewalls are thus a tool to reduce the attack surface.

A firewall can be additionally installed software, part of the operating system or a self-contained device. Each of these forms has advantages and disadvantages. For example, unlike an external firewall, with a firewall that is part of the operating system rules for programs can be configured, but it is also easier for malware to modify and activate or deactivate it.

Firewalls with deep-packet inspection, which also evaluate the user data of the data packets, are not able to see the contents of encrypted connections. In order to be able to process the content (e.g. web applications), encryption is often terminated at the firewall and the data for the client is re-encrypted. As a result of this, the contents are visible to the firewall, but the end-to-end encryption is interrupted.

Restrictive, explicit settings for communication via a firewall are an important measure to allow network access only to the necessary extent.

[Important TCP/UDP ports \[► 48\]](#) contains a list of TCP/UDP ports that typically need to be considered in order to configure a firewall.

6.3 Network technologies

This section describes the security-relevant features of some protocols.

6.3.1 Modbus

The Modbus protocol was originally developed in the late 1970s as a serial communication protocol. The main objectives were to provide a communication protocol for industrial applications that was easy to set up and maintain and transfers data without the need to develop an information model. Because of this simplicity, it has been very popular for 30 years. But this simplicity makes it difficult to use Modbus in modern industrial plants that place more complex demands on a communication protocol, such as security and information models. The original Modbus protocol does not include security measures such as encryption or authentication.

Even though Beckhoff provides two TwinCAT functions for Modbus RTU and Modbus TCP, it is advisable to use more advanced protocols such as OPC UA, which inherently implement security mechanisms.

6.3.2 ADS

The Automation Device Specification (ADS) is a proprietary communication protocol developed by Beckhoff. It is designed for high throughput and portability over different transport protocols (e.g. TCP or serial). ADS was not designed with security in mind and does not include cryptographic operations because of their negative effect on performance and throughput.

It is recommended to use ADS only in secured environments or to use appropriately secured transport channels.

For ADS there are currently two TCP transport channels that support encryption:

- [ADS-over-MQTT](#)
- [Secure ADS](#)

6.3.3 OPC UA

OPC Unified Architecture (IEC 62541) is the new technology generation of the OPC Foundation for the secure, reliable and manufacturer-neutral transport of raw data and pre-processed information from the manufacturing level into the production planning or ERP system. With OPC UA, all desired information is available to every authorized application and every authorized person at any time and in any place.

Further information can be found in the documentation: [TF6100 TC3 OPC UA](#)

6.3.4 VPN

A Virtual Private Network (VPN) makes it possible to establish a virtual LAN between different devices via public networks. In most cases, the data traffic transmitted over the public network is encrypted. VPN solutions can be used, for example, to temporarily tunnel insecure protocols until secure alternatives are operational.

6.4 Security Gateway

A further option to protect the system from network influences is the use of a security gateway. This hardware solution can be installed in a network in front of an IPC. This way, certain network segments or every single PC can be protected.

In addition to the network protection function, the devices also offer the option, for example, to run antivirus software and thus to monitor a file transfer that is implemented via a local clipboard – without limiting the real-time capability of the actual control computer.

6.5 Important TCP/UDP ports

Depending on the application case, unsecured protocols must be disabled or secured by a lower-level layer, for example by a physically secured network or VPN.

In the case of secured protocols, the security must be commissioned in accordance with the product documentation.

Standard services

The table below provides an overview of the incoming ports that are opened in the normal case in the delivered images

Service	Ports (incoming)
IPC diagnostics	https: 443 / tcp

Service	Ports (incoming)
Remote Desktop – RDP (Windows 7/10 only)	3389 / tcp
TwinCAT ADS	Discovery: 48899 / udp (also outgoing) Not secured: 48898 / tcp (also outgoing). Port under TwinCAT/BSD® closed Secure ADS: 8016 / tcp (also outgoing)

Further services

The table below provides an overview of frequently used services that can additionally be opened

Service	Ports (incoming)
SMB	137-139 / tcp 445 / tcp OPC-UA: 4852 / tcp
Cerhost (Windows CE)	987 / tcp
FTP	21 / tcp

TwinCAT services

The table below provides an overview of the ports typically used with TwinCAT products:

Service	Port (default setting)
TF1810 TwinCAT PLC HMI Web	80 / tcp (incoming) See also: Documentation on TF1810
TF2000 TwinCAT HMI	1010 (versions ≤ 1.12), 2010 (versions ≥ 1.14) / tcp (local) 1020 (versions ≤ 1.12), 2020 (versions ≥ 1.14) / tcp (incoming) See also: Documentation on TF2000
TF6100 OPC UA	4840 / tcp (UA Server, incoming), changeable 48050/tcp (UA Gateway, incoming), changeable See also: Documentation on TF6100
TF6100 OPC DA	Dynamic (depending on DCOM) between 1024 and 65535 (incoming) See also: Documentation on TF6120
TF6250 Modbus TCP	502 / tcp (incoming), changeable See also: Documentation on TF6250
TF6310 TCP-IP	changeable / tcp (incoming, outgoing) See also: Documentation on TF6310
TF6311 TCP/UDP Realtime	changeable / tcp (incoming, outgoing) The communication cannot be influenced by an operating system firewall. See also: Documentation on TF6311
TF6300 FTP	20 / tcp (outgoing) 21 / tcp (outgoing) See also: Documentation on TF6300
TF6420 Database Server	changeable depending on the database / tcp (outgoing) See also: Documentation on TF6420
TF67xx IoT TF35xx Analytics	changeable depending on the broker / tcp (outgoing) See also: Documentation on TF670x and TF35xx
TwinCAT EAP	34980 / udp (incoming), if EAP is used via UDP.

Service	Port (default setting)
	The communication cannot be influenced by an operating system firewall. See also: Documentation of EAP
TwinCAT ADS-over-MQTT	changeable depending on the broker / tcp (outgoing) See also: Documentation on ADS-over-MQTT

6.6 IIS web server


By default, the IIS web server is active under Windows and is used, for example, for the Beckhoff Device Manager and for the PLC HMI. In order to further secure the system and restrict access via the web server, you can:

- disable the IIS web server
- or restrict access from outside.

The decision as to which of the two options is the right one for you depends on your conditions of use. Please note that in the case of complete deactivation all applications that access the IIS web server are affected and will no longer work. With restricted access, only the Beckhoff Device Manager is no longer accessible. The local access to the Beckhoff Device Manager can still be used and all other applications are unaffected by a deactivation.

Deactivating the IIS web server:

1. Call the execute dialog with the shortcut **[Windows key] + [R]** and enter **optionalfeatures**. The Windows Features window opens.
2. Disable the option under **Internet Information Service**.




3. The IIS web server is thus disabled. All applications that access the IIS web server are affected by this change.


Restricting access from outside:

1. In order to disable access from outside, call the execute dialog with the shortcut **[Windows key] + [R]** and enter **compmgmt.msc**.

- On the left in the structure tree, select the entry **Internet Information Services** and under **Connections** the folder **Sites**.




- On the right under Actions, click **Bindings**. In the window **Site Bindings**, an asterisk (*) is displayed in the column **IP Address** for http and https.



All accesses from outside are thus allowed.

4. Edit the entries for http or https and allow only local access with the entry **127.0.0.1**.



⇒ Access to the Beckhoff Device Manager from outside is restricted from now on. Local access is still possible with **127.0.0.1/config** and all other applications are unaffected by a complete deactivation.

6.7 HTTPS certificates

This chapter describes how you can create and import your own HTTPS certificates if the certificates provided by Beckhoff by default for the web interface (Device Manager) are not suitable for your application.

Certificates are used in information technology to securely prove identities. This allows messages or documents to be encrypted so that only the intended recipient can decrypt the content again. Among other things, this technique is used by every web browser when retrieving a page via the HTTPS protocol.

A network subscriber requests the certificate of another subscriber when establishing a communication connection. The certificate and whether the other party authenticates itself using the associated key are checked. Once the identity has been proven, the subsequent message exchange over the connection can be protected against unauthorized manipulation and, optionally, against unauthorized viewing.

In order to use specially generated HTTPS certificates:

- the automatic generation of a certificate for industrial PCs must be disabled,
- a certificate must be requested from a certificate authority (CA)
- and then the HTTPS certificate must be imported.

The exact procedure and the necessary steps are described in this chapter.

6.7.1 Disabling automatic certificate creation

The automatic certificate creation must first be disabled so that your own certificates are installed. The settings are made with the aid of the Beckhoff Device Manager, which is called either locally on the industrial PC or remotely.

Proceed as follows:

1. Start the Beckhoff Device Manager by entering the URL `http://localhost/config` in the search box of a browser if you are working locally on an industrial PC. Enter `https://<IP-Adresse>/config` if you prefer a remote connection.

2. Click on the **Security** tile on the left and then on **Certificate**.



3. At **Auto-generate certificate**, select **Disabled**.
4. Click the check mark in the upper right corner to apply the changes.
 - ⇒ Automatic generation of certificates has been disabled. In the next step, a certificate can be requested from a certificate authority (CA) (see: [Requesting an HTTPS certificate](#) [► 53]).

6.7.2 Requesting an HTTPS certificate


The HTTPS server used by Beckhoff industrial PCs is the Internet Information Services (IIS) server, which is delivered with Windows. Typically, for the IIS server, a certificate authority (CA) provides installation instructions on how to install a certificate issued by it. The certificate authority even provides instructions on how to apply for the certificate. Please primarily follow the instructions of the certificate authority. This is especially true if you use a software instance within your own Windows domain for certification. Otherwise, step-by-step instructions follow.

First, you must use the IIS Manager on your industrial PC to create a Certificate Signing Request (CSR) and forward the certificate request to the certificate authority according to its instructions. The certificate authority will then provide you with the server certificate and the intermediate certificates to create a certificate signing request


Proceed as follows:

1. Open the Internet Information Services (IIS) Manager on your industrial PC as administrator.

2. Select your web server from the **Connections** menu on the left and double-click **Server Certificates**.




3. In the **Actions** section, select **Create Certificate Request** and fill out the forms according to your requirements.



4. For compatibility reasons, the fully qualified DNS name via which your industrial PC can be reached by clients must be entered in the **Common name** field. If there is no DNS name, the IP address can also be used. Generally, it must be the name or IP address that your customers use in their applications when making requests in the URL. If you need to specify alternative IP addresses or DNS names, ask your

certificate authority to enter them as an extension (Subject Alternative Name) of the certificate it issued. Such an extended request is made in this case in a different way than with the CSR.




The dialog box titled "Request Certificate" with a sub-header "Distinguished Name Properties" contains the following fields:

- Common name: cx-4fa674.plant0815.example.com
- Organization: Example Corporation
- Organizational unit: IT
- City/locality: Seattle
- State/province: Washington
- Country/region: US

Navigation buttons at the bottom: Previous, Next (highlighted), Finish, Cancel.

5. You should consider creating a strong key according to your needs. RSA with 1024 bits is no longer considered to be strong.



The dialog box titled "Request Certificate" with a sub-header "Cryptographic Service Provider Properties" contains the following fields:

- Cryptographic service provider: Microsoft RSA SChannel Cryptographic Provider
- Bit length: 2048

Navigation buttons at the bottom: Previous, Next (highlighted), Finish, Cancel.

- ⇒ Save the CSR file and send it to the certificate authority. As soon as you receive a response from the certificate authority, the next step is to import the certificate (see: [Importing the certificate](#) [► 55]).


6.7.3 Importing the certificate

After you send the certificate signing request (CSR) to the certificate authority (CA), you should receive a response file. Copy the answer file to your industrial PC and then perform the following steps. If you have received more than one file, you ideally need a file with the extension *.p7b that contains the complete certificate chain.


Proceed as follows:

1. Open the Internet Information Services (IIS) Manager on your industrial PC as administrator.


2. Select your web server from the **Connections** menu on the left and double-click **Server Certificates**.




3. In the **Actions** section, click the **Complete Certificate Request** option and load the certificate to be imported with the *.p7b file extension.




4. The **Specify Certificate Authority Response** window appears. Give the certificate a name with which to store it in the certificate store. Ideally, select the same value that you selected in the **Common Name** field during the certificate signing request (CSR). Don't forget to select the **Web Hosting** option for the certificate store.




5. After the import, the certificate will appear in the list of available server certificates.




6. Click **Default Web Site** on the left, and then click **Bindings** in the **Edit Site** menu.




7. Click **https** and then click **Edit**.



8. Select the certificate you imported at **SSL certificate** and accept the selection with **OK**.



9. Confirm the setting to replace the previous certificate and use the newly created certificate instead.



- ⇒ After the settings, the industrial PC immediately uses the new certificate. You can check this with a client, such as a web browser. Note that you may need to restart your web browser or clear the cache to connect.

7 TwinCAT

What is considered a threat for eXtended Automation Engineering (XAE) and eXtended Automation Runtime (XAR) must emerge from a security concept for the plant. The IEC 62433 standard, which explains, among other things, the necessary threat analysis, provides assistance in creating a security concept. In addition, the VDMA guide can be consulted to help with security in operating processes and the resilience of products against cyberattacks: <https://www.vdma.org/viewer/-/v2article/render/16110956>

This chapter lists some example threats related to XAE and XAR without claiming to be complete.

7.1 eXtended Automation Engineering (XAE)

Table 5: Unauthorized manipulation of the source code.

Countermeasures	Description
Technical	<ul style="list-style-type: none"> • Define authorizations and implement them with software protection • Use version control system to make changes traceable • Use individual access control for version control system
Organizational	<ul style="list-style-type: none"> • Use IT security management system (e.g. according to ISO 27001) • Use version control system (see: Source-Control): • Use "Staging": <ul style="list-style-type: none"> ◦ Check-in first in development source control repository ◦ Use separate (pre-)release build repository to build alpha, beta, RC and release versions from there ◦ Transfer development repository -> (pre-)release build repository only after review, for example via Project Compare Tool (see: Project Compare Tool)

Table 6: Unauthorized access to the source code.

Countermeasures	Description
Technical	<ul style="list-style-type: none"> • Store source code encrypted using software protection (see: Software protection)
Organizational	<ul style="list-style-type: none"> • Use IT security management system (e.g. according to ISO 27001). • Secure access to the storage locations. • Use encrypted storage.

7.2 eXtended Automation Runtime (XAR)

Table 7: Unauthorized access via ADS or Secure ADS.

Countermeasures	Description
Technical	Use Secure ADS (see: Secure ADS): <ul style="list-style-type: none"> • Open only for defined remote stations • Firewall restriction • Static routes • Secure remote stations against manipulation
Organizational	<ul style="list-style-type: none"> • Replace accesses via Secure ADS with accesses via OPC UA.

Table 8: Influencing the real time via ADS / Secure ADS.

Countermeasures	Description
Technical	Use Secure ADS (see: Secure ADS): <ul style="list-style-type: none"> • Open only for defined remote stations

Countermeasures	Description
	<ul style="list-style-type: none"> • Firewall restriction • Static routes • Secure remote stations against manipulation
Organizational	<ul style="list-style-type: none"> • Replace accesses via Secure ADS with accesses via OPC UA.

7.3 Further technical information

This chapter summarizes further topics in a link collection, which concern the security of TwinCAT. Links are provided to further Beckhoff documentation that describes the respective topics in detail. The selection is a guide. It is intended as the first place to look and does not claim to be complete.

TwinCAT general	Further information
TwinCAT 3 Software Protection	https://infosys.beckhoff.com/english.php?content=../content/1033/tc3_security_management/index.html&id=355557539833111233
ADS	https://infosys.beckhoff.com/english.php?content=../content/1033/tc3_ads_intro/index.html&id=7262890787652929099
Disable ADS	https://infosys.beckhoff.com/english.php?content=../content/1033/secure_ads/6917981195.html&id=5745105416081707706
Secure ADS	https://infosys.beckhoff.com/english.php?content=../content/1033/secure_ads/index.html&id=2501949194726739202
ADS over MQTT	https://infosys.beckhoff.com/english.php?content=../content/1033/tc3_ads_over_mqtt/index.html&id=120186874503837909

OPC UA	Further information
Server-Security	https://infosys.beckhoff.com/english.php?content=../content/1033/tf6100_tc3_opcua/1448394251.html&id=2325029100913163478
IO Client-Security	https://infosys.beckhoff.com/english.php?content=../content/1033/tf6100_tc3_opcua/1452984075.html&id=
PLCLib Client Security	https://infosys.beckhoff.com/english.php?content=../content/1033/tf6100_tc3_opcua/1452984075.html&id=7305736008379229744
Gateway Security	https://infosys.beckhoff.com/english.php?content=../content/1033/tf6100_tc3_opcua/1452984075.html&id=954414165455750259

8 Appendix

8.1 Further reading


IEC 62443 is a series of international standards for security in automation systems. Some individual sections are still under development. The parts that have already been published describe the organizational and technical concepts and measures for systems and components. URL: <https://webstore.iec.ch/publication/7029>

NIST SP800-82 Guide to Industrial Control Systems Security specifically describes the analysis of and measures against security threats to industrial facilities. URL: <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-82r2.pdf>

BSI IT Basic Protection Compendium offers structured function blocks for the analysis of risks and the application of measures. The compendium also contains function blocks relating to industrial IT URL: https://www.bsi.bund.de/DE/Themen/ITGrundschutz/ITGrundschutzKompodium/itgrundschutzKompodium_node.html

8.2 Advisories

Our Security Advisories are intended to help our customers protect their Beckhoff Industrial PCs and Embedded PCs against certain effects. The following table provides an overview of the available advisories regarding weak points in security and includes a link to download the document.

These Security Advisories are also provided as an  [RSS feed](#). In addition, Beckhoff publishes these advisories as part of CERT@VDE together with other manufacturers: <https://cert.vde.com/de/advisories/vendor/beckhoff/>.

If you suspect security weak points in one of our products, please inform us via the procedure described in the Coordinated Disclosure.

Number	Title	Version	Language	Download	External CNA
2024-005	Local command injection via TwinCAT Package Manager	1.0	EN	PDF	HTML , CSAF
2024-004	Local Denial of Service issue in TwinCAT/BSD "MDP" package	1.0	EN	PDF	HTML , CSAF
2024-003	Local Denial of Service issue in TwinCAT/BSD package "IPC-Diagnostics"	1.0	EN	PDF	HTML , CSAF
2024-002	Improper neutralization of input in TwinCAT/BSD package "IPC-Diagnostics-www"	1.0	EN	PDF	HTML , CSAF
2024-001	Local authentication bypass in TwinCAT/BSD package "IPC-Diagnostics"	1.0	EN	PDF	HTML , CSAF
2023-001	Open redirect in TwinCAT/BSD package "authelia-bhf"	1.0	EN	PDF	HTML
2022-001	Null Pointer Dereference vulnerability in products with OPC UA technology	1.0	EN	PDF	HTML
2021-003	Relative path traversal vulnerability through TwinCAT OPC UA Server	1.0	EN	PDF	HTML
2021-002	Stack Overflow and XXE vulnerability in various OPC UA products	1.0	EN	PDF	HTML
2021-001	DoS Vulnerability for TwinCAT OPC UA Server and IPC Diagnostics UA Server	1.2	EN	PDF	HTML
2020-003	Privilege Escalation through TwinCAT System Tray (TcSysUI.exe)	1.1	EN	PDF	HTML

Number	Title	Version	Language	Download	External CNA
2020-002	EtherLeak in TwinCAT RT network driver	1.1	EN	PDF	HTML
2020-01	BK9000 couplers – Denial of service inhibits function	1.0	EN	PDF	HTML
2019-07	Denial-of-Service on TwinCAT using Profinet protocol	1.1	EN	PDF	HTML
2019-06	CE Remote Display behaves incorrectly with wrong credentials	1.2	EN	PDF	
2019-05	Remote Code Execution in Remote Desktop Service ("Dejablue")	1.0	EN	PDF	
2019-04	ADS Discovery	1.1	EN	PDF	
2019-03	Remote Code Execution in Remote Desktop Service	1.4	EN	PDF	
2019-02	Microarchitectural Data Sampling (MDS) vulnerabilities	1.2	EN	PDF	
2019-01	Spectre-V2 and impact on application performance as well as TwinCAT compatibility	1.4	EN	PDF	
2018-02	Updates for OPC-UA components (Several Vulnerabilities)	1.0	EN	PDF	
2018-01	TwinCAT 2 and 3.1 Kernel Driver Privilege Escalation	1.1	EN	PDF	
2017-02	Add Route using "Encrypted Password" bases on fixed key	1.3	EN	PDF	
2017-01	ADS is only designed for use in protected environments	1.4	EN	PDF	
2015-001	Potential misuse of IPC Diagnostics version < 1.8 backend	1.1	EN	PDF	
2014-003	Recommendation to change default passwords	1.1	EN	PDF	
2014-002	ADS communication port allows password bruteforce	1.1	EN	PDF	
2014-001	Potential misuse of several administrative services	1.1	EN	PDF	

8.3 Support and Service

Beckhoff and their partners around the world offer comprehensive support and service, making available fast and competent assistance with all questions related to Beckhoff products and system solutions.

Download finder

Our [download finder](#) contains all the files that we offer you for downloading. You will find application reports, technical documentation, technical drawings, configuration files and much more.

The downloads are available in various formats.

Beckhoff's branch offices and representatives

Please contact your Beckhoff branch office or representative for [local support and service](#) on Beckhoff products!

The addresses of Beckhoff's branch offices and representatives round the world can be found on our internet page: www.beckhoff.com

You will also find further documentation for Beckhoff components there.

Beckhoff Support

Support offers you comprehensive technical assistance, helping you not only with the application of individual Beckhoff products, but also with other, wide-ranging services:

- support
- design, programming and commissioning of complex automation systems
- and extensive training program for Beckhoff system components

Hotline: +49 5246 963-157

e-mail: support@beckhoff.com

Beckhoff Service

The Beckhoff Service Center supports you in all matters of after-sales service:

- on-site service
- repair service
- spare parts service
- hotline service

Hotline: +49 5246 963-460

e-mail: service@beckhoff.com

Beckhoff Headquarters

Beckhoff Automation GmbH & Co. KG

Huelshorstweg 20
33415 Verl
Germany

Phone: +49 5246 963-0

e-mail: info@beckhoff.com

web: www.beckhoff.com

List of tables

Table 1 Legend of the UWF Manager..... 38

Table 2 Legend to the colors of the UWF Manager. 38

Table 3 Legend to the UWF Manager (File Exclusions). 39

Table 4 Legend to the UWF Manager (Registry Exclusions). 39

Table 5 Unauthorized manipulation of the source code..... 59

Table 6 Unauthorized access to the source code. 59

Table 7 Unauthorized access via ADS or Secure ADS..... 59

Table 8 Influencing the real time via ADS / Secure ADS. 59

List of figures

Fig. 1 UWF manager in RAM mode, partition C: not protected..... 37

Fig. 2 UWF manager in disk mode, partition C: protected from next restart. 38

Fig. 3 File Exclusions of the UWF Manager..... 38

Fig. 4 Registry Exclusions of the UWF Manager. 39

Fig. 5 Windows Write Filter, mode of operation of an application software in RAM mode..... 39

Fig. 6 UWF Manager settings 40

Fig. 7 UWF Manager "Enable Overlay tracing" checkbox..... 40

Fig. 8 UWF Manager Overlay consumption 41

Trademark statements

Beckhoff®, TwinCAT®, TwinCAT/BSD®, TC/BSD®, EtherCAT®, EtherCAT G®, EtherCAT G10®, EtherCAT P®, Safety over EtherCAT®, TwinSAFE®, XFC®, XTS® and XPlanar® are registered trademarks of and licensed by Beckhoff Automation GmbH.

Third-party trademark statements

FreeBSD is a registered trademark of The FreeBSD Foundation and is used by Beckhoff with the permission of The FreeBSD Foundation.

Microsoft, Microsoft Azure, Microsoft Edge, PowerShell, Visual Studio, Windows and Xbox are trademarks of the Microsoft group of companies.

More Information:
www.beckhoff.com

Beckhoff Automation GmbH & Co. KG
Hülshorstweg 20
33415 Verl
Germany
Phone: +49 5246 9630
info@beckhoff.com
www.beckhoff.com

